

**MEDIQUE APAP- acetaminophen tablet, coated**  
**MEDI-FIRST NON-ASPIRIN- acetaminophen tablet, coated**  
**MEDI FIRST PLUS NON-ASPIRIN- acetaminophen tablet, coated**  
**DOVER AMINOPHEN- acetaminophen tablet, coated**  
**Unifirst First Aid Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

## **Acetaminophen 325 mg**

### ***Drug Facts***

#### ***Active ingredient (in each tablet)***

Acetaminophen 325 mg

#### ***Purpose***

Pain reliever/fever reducer

#### ***Uses***

##### **For the temporary relief of minor aches and pains associated with**

- headache
- common cold
- muscular aches
- toothache
- minor arthritis pain
- menstrual cramps

##### **For the reduction of fever.**

### ***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 12 tablets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

#### **Allergy alert:**

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters

- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- for more than 10 days for pain unless directed by a doctor
- for more than 3 days for fever unless directed by a doctor

**Ask a doctor before use if you have**

- liver disease

**Ask a doctor or pharmacist before use if**

- you are taking the blood thinning drug warfarin

**Stop using and ask a doctor if**

- symptoms do not improve
- new symptoms occur
- pain or fever persists or gets worse
- redness or swelling is present

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

***Directions***

- **do not use more than directed**

**Adults and children: (12 years and older)**

Take 2 tablets every 4 to 6 hours as needed. Do not take more than 12 tablets in 24 hours.

**Children under 12 years:**

Do not give to children under 12 years of age.

***Other information***

- store at room temperature 59°-86°F (15°-30°C)
- tamper-evident sealed packets
- do not use any opened or torn packets

corn starch, hypromellose, maltodextrin\*, microcrystalline cellulose\*, polyethylene glycol, povidone\*, pregelatinized starch\*, sodium starch glycolate\*, stearic acid, titanium dioxide\*

**Questions or comments?**

## Medique APAP 325 mg Label

See inside flap for more details

Medique ®

APAP

## Non-Aspirin Tablets

## Tabletas sin aspirina

Pain Reliever/Fever Reducer • Acetaminophen 325 mg

Alivia el Dolor/Reduce la Fiebre • Acetaminofen 325 mg

## This Package is For Households Without young Children

## Este Paquete Es Para Hogares Sin Ninos Pequenos

## Pull to Open

Tire Para Abrir

500 Tablets

(250 x 2)

## Tamper Evident Unit Dose Packets

Empaquetado con Sellado Evidente en Dosis Unitarias

### Drug Facts

**Active ingredient (in each tablet)**

**Purpose**

**Uses**

**Warnings**

**Directions**

**Other information**

**Do not use**

**Keep out of reach of children**

**Drug Facts (continued)**

**Keep out of reach of children**

**Directions**

**Other information**

**Do not use**

**Keep out of reach of children**

**Questions or comments?**

# Medique

# APAP

## Non-Aspirin Tablets

Tablets en aspirine

**✓ Pain Reliever/Fever Reducer • Acetaminophen 325mg**

**Alivia el Dolor/Reduce la Fiebre • Acetaminofeno 325mg**

### Información del Medicamento

**Ingrediente activo (en cada tableta)**

**Propósito**

**Usos**

**Advertencias**

**Precauciones**

**Contraindicaciones**

**Consejos al usar el medicamento**

### Información del Medicamento (continuación)

**Contraindicaciones**

**Consejos al usar el medicamento**

**Contraindicaciones**

**Consejos al usar el medicamento**

# Medique

# APAP

## Non-Aspirin Tablets

Tablets en aspirine

**✓ Pain Reliever/Fever Reducer • Acetaminophen 325mg**

**Alivia el Dolor/Reduce la Fiebre • Acetaminofeno 325mg**

**Tamper Evident Unit Dose Packets**

**Empaquetado con Sellado Evidente en Dosis Unitarias**

**500 Tablets (2x5)**

**Conserva la caja para obtener la información completa del producto**

**Recorder #14513**

**Manufactured for Medique Products**

**For Myers, FL 33967**

**An FDA Regulated Facility**

**1-800-424-1580**

**www.medicqueproducts.com**

## Medi-First Non-Aspirin 325 mg Label

100

Tablets

(50 x 2)

Medi-First®

Non-Aspirin

Pain Reliever/Fever Reducer

Aches, Fever ● Acetaminophen 325 mg

Pull to Open


Compare active ingredients to:

Tylenol®

Registered Trademark of McNeil Consumer Products

This Package is For Households Without Young Children

Tamper Evident Unit Dose Packets



The image displays the packaging for Medi-First Non-Aspirin 325 mg tablets. The central focus is the product box, which is blue and white. The top of the box features the brand name "MEDI-FIRST®" in a bold, sans-serif font, followed by "Non-Aspirin" in a larger, stylized font. Below this, it states "Pain Reliever/Fever Reducer" and "Aches, Fever • Acetaminophen 325mg". A red banner at the top right of the box indicates "100 Tablets (50 x 2)". The box also features a "Pull to Open" instruction and a warning: "THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN".

Surrounding the box are three panels of text, likely from the product's labeling:

- Left Panel (Drug Facts):** This panel contains the following information:
  - Active ingredient (in each tablet):** Acetaminophen 325 mg. **Purpose:** Pain reliever/fever reducer.
  - Uses:** For the temporary relief of minor aches and pains associated with:
    - headache, muscular aches, minor arthritis pain, common cold, toothache, menstrual cramps.
  - Warnings:** Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:
    - more than 12 tablets in 24 hours, which is the maximum daily amount.
    - with other drugs containing acetaminophen.
    - 3 or more alcoholic drinks every day while using this product.
  - Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:
    - skin redness, hives, rash.If a skin reaction occurs, stop use and seek medical help right away.
  - Do not use:**
    - with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
    - for more than 10 days for pain unless directed by a doctor.
    - for more than 3 days for fever unless directed by a doctor.
  - Ask a doctor before use if you have:** liver disease.
  - Ask a doctor or pharmacist before use if:** you are taking the blood thinning drug warfarin.
- Middle Panel (Product Box):** This panel shows the front of the product box with the following text:
  - Compare active ingredient to:** Tylenol®
  - Registered Trademark of McNeil Consumer Products**
  - THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN**
  - Tamper Evident Unit Dose Packets**
- Right Panel (Drug Facts (continued)):** This panel contains the following information:
  - Stop using and ask a doctor if:**
    - symptoms do not improve.
    - pain or fever persists or gets worse.
    - new symptoms occur.
    - redness or swelling is present.
  - If pregnant or breast-feeding,** ask a health professional before use.
  - Keep out of reach of children.** In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.
  - Directions:**
    - do not use more than directed.
  - Adults and children (12 years and older):** Take 2 tablets every 4 to 6 hours as needed. Do not take more than 12 tablets in 24 hours.
  - Children under 12 years:** Do not give to children under 12 years of age.
  - Other information:**
    - store at room temperature 59°-86°F (15°-30°C).
    - tamper-evident sealed packets.
    - do not use any opened or torn packets.
  - Inactive ingredients:** corn starch, hypromellose, maltodextrin, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid, titanium dioxide.
  - \*may contain:**
  - Questions or comments?** 1-800-634-7680

## MFP Non-Aspirin 325 mg Label

100 Tablets

(50 x 2's)

Medi First® Plus

Non-Aspirin

Acetaminophen 325mg

Pull to Open

This Package is For Households Without Young Children

Pain Reliever/Fever Reducer

Compare active ingredient to:

Tylenol®

Registered Trademark of McNeil Consumer Products

Tamper Evident Unit Dose Packets



Dover Aminofen Label

Dover Aminophen

Pain Reliever-Fever Reducer

Non-Aspirin Analgesic

Acetaminophen 325mg

Dover Pharmaceutical

Products of the highest quality and effectiveness


Tamper Resistant

Sealed Packets

Unit Dose Packs

500 Tablets

(250 Packets of 2)



MEDIQUE APAP

acetaminophen tablet, coated

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:47682-145
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>POLYETHYLENE GLYCOL</b> (UNII: 3WJQ0SDW1A)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

## Product Characteristics

<b>Color</b>	white (white)	<b>Score</b>	no score
<b>Shape</b>	ROUND (ROUND)	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	AZ ;234
<b>Contains</b>			

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
<b>1</b>	NDC:47682-145-32	6 in 1 BOX	12/30/2008	08/01/2018
<b>1</b>	NDC:47682-145-99	2 in 1 PACKET; Type 0: Not a Combination Product		
<b>2</b>	NDC:47682-145-64	12 in 1 BOX	12/30/2008	
<b>2</b>	NDC:47682-145-99	2 in 1 PACKET; Type 0: Not a Combination Product		
<b>3</b>	NDC:47682-145-36	75 in 1 BOX	12/30/2008	
<b>3</b>	NDC:47682-145-99	2 in 1 PACKET; Type 0: Not a Combination Product		
<b>4</b>	NDC:47682-145-48	125 in 1 BOX	12/30/2008	
<b>4</b>	NDC:47682-145-99	2 in 1 PACKET; Type 0: Not a Combination Product		
<b>5</b>	NDC:47682-145-13	250 in 1 BOX	12/30/2008	

5	NDC:47682-145-99	2 in 1 PACKET; Type 0: Not a Combination Product		
6	NDC:47682-145-99	2 in 1 PACKET; Type 0: Not a Combination Product	12/30/2008	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	12/30/2008	

MEDI-FIRST NON-ASPIRIN

acetaminophen tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-803
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

Inactive Ingredients

Ingredient Name	Strength
HYPROMELLOSES (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	white (white)	Score	no score
Shape	ROUND (ROUND)	Size	10mm
Flavor		Imprint Code	AZ;234
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC 47682-803			

1	NDC:47682-803-33	50 in 1 BOX	12/30/2008	
1	NDC:47682-803-99	2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-803-48	125 in 1 BOX	12/30/2008	
2	NDC:47682-803-99	2 in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:47682-803-13	250 in 1 BOX	12/30/2008	
3	NDC:47682-803-99	2 in 1 PACKET; Type 0: Not a Combination Product		
4	NDC:47682-803-92	750 in 1 BOX	12/30/2008	
4	NDC:47682-803-99	2 in 1 PACKET; Type 0: Not a Combination Product		
5	NDC:47682-803-99	2 in 1 PACKET; Type 0: Not a Combination Product	12/30/2008	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	12/30/2008	

## MEDI FIRST PLUS NON-ASPIRIN

acetaminophen tablet, coated

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-903
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

### Inactive Ingredients

Ingredient Name	Strength
HYPROMELLOSES (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	



Product Characteristics				
Color	white (white)	Score	no score	
Shape	ROUND (ROUND)	Size	10mm	
Flavor		Imprint Code	AZ;234	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-903-33	50 in 1 BOX	12/30/2008	
1		2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-903-48	125 in 1 BOX	12/30/2008	
2		2 in 1 PACKET; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final		part343	12/30/2008	

DOVER AMINOPHEN			
acetaminophen tablet, coated			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-303
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	325 mg
Inactive Ingredients			
Ingredient Name			Strength
STARCH, CORN (UNII: O8232NY3SJ)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
HYPROMELLOSES (UNII: 3NXW29V3WO)			
POLYETHYLENE GLYCOL (UNII: 3WJQ0SDW1A)			
POVIDONE (UNII: FZ989GH94E)			
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)			
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)			

## Product Characteristics

<b>Color</b>	white (white)	<b>Score</b>	no score
<b>Shape</b>	ROUND (ROUND)	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	AZ;234
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-303-13	250 in 1 BOX	12/30/2008	
1	NDC:47682-303-99	2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-303-99	2 in 1 PACKET; Type 0: Not a Combination Product	12/30/2008	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	12/30/2008	

**Labeler** - Unifirst First Aid Corporation (832947092)

## Establishment

Name	Address	ID/FEI	Business Operations
Prestige Packaging		080667761	relabel(47682-145, 47682-303, 47682-803, 47682-903) , repack(47682-145, 47682-303, 47682-803, 47682-903)

Revised: 5/2021

Unifirst First Aid Corporation